
HP Universal Satin Photo Paper





The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



- Up to 15 years with Original HP 72 inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/ or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see
 - globalBMG.com/hp/t/printpermanence.
- Up to 2 months unlaminated, 3 months laminated with Original HP 72 inks. Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see globalBMG.com/hp/t/ printpermanence.

See high-quality results at an economical price

See high-quality results

Produce vivid colors ideal for presentation graphics and indoor displays from posters and presentations to photo enlargements and art reproductions. HP Universal Satin Photo Paper provides high-quality results.

Enjoy high-quality results at an economical price

Look to HP printing materials to provide a high-quality choice at an economical price. HP Universal Satin Photo Paper is designed together with Original HP dye- and pigment-based inks to provide the results you expect from your HP Designjet printer.

See reliable results, consistent performance

Experience the reliable performance of the HP large format printing system. HP Universal Satin Photo Paper is engineered with Original HP inks and the printer to deliver consistent image quality.

Target customers	Applications	Benefits		
Print service providers	Trade show and event displays	Rich, satin finish		
Sign makers	Posters and presentations	and presentations Fingerprint resistant		
Graphic artists	POP and retail displays	Up to 15 years indoor display permanence ¹		
Photo labs	Photo enlargements	Up to 2 months in-window display permanence unlaminated, up to 3 months laminated ²		
	Art reproductions	Compatible with both Original HP dye- and pigment-based inks		
	Geographic Information Systems (GIS)			

Technical specifications



HP Universal Satin Photo Paper

For the latest ICC profiles/paper presets and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit **globalBMG.com/hp/**.

200 g/m² per ISO 536 Test Method				
185 microns/7.4 mil per ISO 534 Test Method				
95% per TAPPI T-425 Test Method				
>95% per TAPPI T-452 Test Method				
120 per CIE Ganz 82 Test Method				
Satin				
15 to 30° C / 59 to 86° F				
30 to 70% RH				
Up to 15 years with Original HP 72 inks; up to 3 years with HP 727 inks ³				
Up to 2 months with Original HP 72 inks; up to 1 month with HP 727 inks ⁴				
Up to 3 months with Original HP 72 inks; up to 1 month with HP 727 inks ⁴				
Less than 10 minutes (at 23° C, 50% RH)				
Yes, cold				
2 years, unopened in original package				
5 to 40° C / 41 to 104° F				
10 to 80% RH				
Product of China				
Product numbers	Roll sizes	UPC Codes	Region	
Q1420B	610 mm x 30,5 m (24 in x 100 ft)	848412013948	Worldwide	
Q1421B	914 mm x 30,5 m (36 in x 100 ft)	848412013955	Worldwide	
		848412013962		
	185 microns/7.4 mill 95% per TAPPI T-42 >95% per TAPPI T-4 120 per CIE Ganz 82 Satin 15 to 30° C / 59 to 86 30 to 70% RH Up to 15 years with Up to 2 months with Up to 3 months with Less than 10 minute Yes, cold 2 years, unopened in 5 to 40° C / 41 to 106 10 to 80% RH Product of China Product numbers Q1420B	185 microns/7.4 mil per ISO 534 Test Method 95% per TAPPI T-425 Test Method >95% per TAPPI T-452 Test Method 120 per CIE Ganz 82 Test Method Satin 15 to 30° C / 59 to 86° F 30 to 70% RH Up to 15 years with Original HP 72 inks; up to 3 years with Up to 2 months with Original HP 72 inks; up to 1 month via Up to 3 months with Original HP 72 inks; up to 1 month via Less than 10 minutes (at 23° C, 50% RH) Yes, cold 2 years, unopened in original package 5 to 40° C / 41 to 104° F 10 to 80% RH Product of China Product numbers Roll sizes Q1420B 610 mm x 30,5 m (24 in x 100 ft)	185 microns/7.4 mil per ISO 534 Test Method 95% per TAPPI T-425 Test Method >95% per TAPPI T-452 Test Method 120 per CIE Ganz 82 Test Method Satin 15 to 30° C / 59 to 86° F 30 to 70% RH Up to 15 years with Original HP 72 inks; up to 3 years with HP 727 inks³ Up to 2 months with Original HP 72 inks; up to 1 month with HP 727 inks⁴ Up to 3 months with Original HP 72 inks; up to 1 month with HP 727 inks⁴ Less than 10 minutes (at 23° C, 50% RH) Yes, cold 2 years, unopened in original package 5 to 40° C / 41 to 104° F 10 to 80% RH Product numbers Roll sizes UPC Codes Q1420B 610 mm x 30,5 m (24 in x 100 ft) 848412013948	

³ Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see globalBMG.com/hp/t/printpermanence.

Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see globalBMG.com/hp/t/printpermanence.



For detailed information on the HP large format printing materials portfolio and to order, see globalBMG.com/hp/

© 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

